WL7 Firewall™





WL7 Firewall

Innovation meets design

Stylish design, high-tech features and a plentiful source of ice-cold purified water.





State-of-the-art user experience

Turn, press and drink

The WL7 FW also features a large ergonomic dispensing area, an engaging screen and a unique selection dial to make dispensing water easier than ever.



Designed to satisfy the needs of the modern office, the WL7 FW dispenses up to 5 types of water: ambient, sparkling, hot, extra hot and ice-cold.



Boasting a distinctive design, the WL7 FW features an intuitive dial and a 5" LED full color display, promoting a great user experience.



Firewall purification

Leading technology

Firewall patented and certified UV technology thoroughly purifies water all the way through to the dispensing nozzle, preventing pathogens getting into the system. Firewall safely purifies the water up to 99.9999%*, reducing the risk of viruses, cysts and bacteria.



High performance filtration


Waterlogic filters are certified by IAPMO R&T to the NSFs most stringent standards, meaning they offer the best possible filtration technology. This guarantees each drop is as good as the last.



BioCote BioCote® protection

For added peace of mind key surfaces of the WL7 FW are integrated with BioCote® a silver ion additive able to inhibit microbial growth on the surface of the products helping to reduce unpleasant odours, staining and degradation of key surfaces.

*Guaranteed free from: 99.9999% bacteria, 99.99% viruses, 99.9% cysts.






Ice Bath technology

High capacity ice-cold water

The Ice Bath* cooling system is engineered to deliver glass after glass of highly purified ice-cold water to meet the needs of the most demanding workplaces.

WL7 Firewall has a far higher dispensing capacity than average competitor products of the same category.



^{*} Ice Bath technology allows for dispensing up to 17 litres per hour of ice-cold water below 8° C.






Dispensing area

One size fits all

The tall dispensing gap easily accommodates sports bottles and a wide variety of water vessels, whilst the back-lit waterfall indicator allows precise dispensing, reducing accidental spillage.



The open dispensing area offers convenient and easy side access.



Extensively tested

Reassuringly certified

For added peace of mind, Waterlogic's products are scrupulously tested and certified to the highest standards by recognised water associations worldwide.

Firewall technology is certified by IAPMO R&T to NSF/ANSI 55 Class A, NSF P231, US EPA Microbiologica Guide Standard, NSF/ANSI 372 and CSA R&831















* Certifications may vary depending on different models.

Extras come as standard

Additional features



Sleep mode

Programmable energy saving sleep mode significantly reduces power consumption when the unit is not in use.



Leak prevention system

In the event of a leak the water supply is automatically cut off reducing risk of slips and related incidents.



Bottles saver counter

Track the positive impact on the environment by counting 500ml plastic bottles saved.



Environmentally friendly

Eco-friendly refrigeration using R600a*: naturally occurring refrigerant gas with low GWP (Global Warming Potential) and zero ODP (Ozone Depletion Potential).

*R600a available on 220/240v models only.



Technical specifications

Water options





Sparkling





Hot



Extra Hot



Configuration options



Countertop Freestanding

Number of users



Recommended environment








Education



Leisure

Dimensions

Countertop	381 mm/15"	381 mm/15" (W) x 427 mm/17" (H) x 519 mm/20.5" (D)		
Freestanding	Wide	399mm/15.75"	413mm/16.26"	
	Height	1269mm/50"	1269mm/50"	
3	81mm/15″	519mi	m/20.5″	



Leading technologies





High Performance Filtration

Firewall Purification



Contact us today

United Kingdom www.waterlogic.co.uk +44 (0) 333 323 2307 info@waterlogic.co.uk

Ireland www.waterlogic.ie +353 1466 0133 info@waterlogic.ie USA and Canada www.waterlogicusa.com +1402 905 2001 customerservice@waterlogicusa.com

Rest of the world www.waterlogic.com +353 1293 1960 exportsales@waterlogic.com